


PC1109 THRU PC1126

CLAMPS & PIPE SUPPORTS

2 PIECE PIPE CLAMPS FOR RIGID STEEL CONDUIT



Part No.	Conduit Size In	O.D. Size In (mm)	Thickness Gauge (mm)	Wt/100 pcs Lbs	Design Load Lbs
PC1109	3/8	0.675 17.1	16 1.5	10	400
PC1111	1/2	0.840 21.3	16 1.5	11	400
PC1112	3/4	1.050 26.7	14 1.9	15	600
PC1113	1	1.315 33.4	14 1.9	17	600
PC1114	1/4	1.660 42.2	14 1.9	19	600
PC1115	1/2	1.900 48.3	12 2.7	29	800
PC1117	2	2.375 60.3	12 2.7	34	800
PC1118	2 1/2	2.875 73.0	12 2.7	40	800
PC1119	3	3.500 88.9	12 2.7	47	800
PC1120	3 1/2	4.000 101.6	11 3.0	62	1,000
PC1121	4	4.500 114.3	11 3.0	67	1,000
PC1123	5	5.563 141.3	11 3.0	80	1,000
PC1124	6	6.625 168.3	10 3.4	102	1,000
PC1126	8	8.625 219.1	10 3.4	130	1,000

Materials & Finishes: AL, EG, SS

Material Specifications			
Material	Material Code	ASTM Designation	ASTM Description
Steel:	Use Finish Code	ASTM A1011 SS GR 33.	UBS channels are accurately and carefully cold formed to size from low-carbon strip steel. 12 Ga., 14 Ga. & 16 Ga.
[Stainless Steel:	SS304	A 240 TYPE 304	Heat resisting chromium and chromium-nickel stainless steel plate, sheet, strip for pressure vessel.
	SS316	A 240 TYPE 316	
Aluminum: Channel	AL	B 221 TYPE 6063 T5/T6	Aluminum alloy extruded bar, rod, wire, shape and tube.

Finish Specifications		
Finish	Finish Code	Description
Zinc Electroplated	EG	Zinc electroplating is used to coat plain steel. The electroplating process requires that the component be immersed in a solution containing zinc ions that are deposited on the surface of the part. Electroplated zinc is shiny and smooth, and is suitable for indoor environments with low relative humidity.

PROJECT INFORMATION:		APPROVAL STAMP:
Project:		
Date:	Phone:	
Architect / Engineer:		
Contractor:		
Address:		
Notes 1:		